



# American Association for Laboratory Accreditation

SCOPE OF ACCREDITATION TO ISO/IEC 17025 - 1999

## DOD VETERINARY FOOD ANALYSIS & DIAGNOSTIC LABORATORY

2472 Schofield Road, Ft. Sam Houston, TX 78234-6232

Col. Leslie G. Huck Phone: 210 295 4604

### CHEMICAL

Valid until: October 31, 2005

Certificate Number: 1839-01


In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing the "AOAC International Accreditation Criteria for Laboratories Performing Food Microbiological and Chemical Analyses in Foods, Feeds and Pharmaceutical Testing", accreditation is granted to this laboratory to perform the following tests or types of tests on foods, feeds, grains, dairy, water, meat & meat products:

#### Test Description

#### Test Methods

|  |   |
|--|---|
| Fat in Meat                            | AOAC 991.36   |
| Fat in Feeds                           | AOAC 920.39 (Modified)  |
| Crude Fiber                            | AOAC 962.09 (Modified)  |
| Ash                                    | AOAC 942.05   |
| Moisture by Vacuum                     | AOAC 934.01, 925.09B, 925.40, 925.45A, 926.07, 926.08, 927.05 |
| Protein                                |   |
| Foods                                  | AOAC 976.05   |
| Feeds                                  | AOAC 976.05   |
| Salt                                   | AOAC 935.47   |
| $\beta$ -lactam antibiotics (CHARM II) | AOAC 982.15   |
| Water Activity                         | AOAC 978.18   |
| Leak Test                              | MIL-SPEC-P-44073C   |
| Phosphatase                            | AOAC 979.13   |
| Anions in Water by Ion Chromatography  | EPA 300.1   |
| Fluoride                               |   |
| Chloride                               |   |
| Nitrate                                |   |
| Phosphate                              |   |
| Sulfate                                |   |
| Pesticides in Water by GC, GC/MS       | EPA 508.1   |
| Alachlor                               |   |
| Aldrin                                 |   |
| Atrazine                               |   |
| Chlordane-alpha                        |   |
| Chlordane-gamma                        |   |
| Chloroneb                              |   |
| Chlorbenzilate                         |   |
| Chlorthalonil                          |   |

(A2LA Cert. No. 1839-01) Revised 07/27/2004

  
Page 1 of 2



Test Description

Pesticides in Water by GC, GC/MS

Cyanazine  
DCPA  
4,4'-DDD  
4,4'-DDE  
4,4'-DDT  
Dieldrin  
Endosulfan I  
Endosulfan II  
Endosulfan sulfate  
Endrin  
Endrin aldehyde  
Etridiazole  
HCH-alpha  
HCH-beta  
HCH-delta  
HCH-gamma (lindane)  
Heptachlor  
Heptachlor epoxide  
Hexachlorobenzene  
Hexachlorocyclopentadiene  
Methoxychlor  
Metolachlor  
cis-Permethrin  
trans-Permethrin  
Propachlor  
Trifluralin

Test Methods

EPA 508.1 (cont)

